



Call: 800-622-9606 (MI) / 800-344-3371 (NY) | eMail: sales@qvs.com | www.qvs.com

NEW PRODUCTS

qvs.com | www.qvs.com

Angle Flex 6" Adapter
Solutions & Eliminates Cable Bend

SKU: HDXW-0.5F SKU: HDRT-0.5F SKU: HDLF-0.5F

Up Down Right Left

With tighter and thinner HDTV installations, an HDMI Angle Flex 6-inch Adapter will ensure that the HDTV port is protected and HDMI cable

... cable
... want
... installers.

800-344-3371 (NY) | eMail: sales@qvs.com | www.qvs.com

UltraHD 4K HDMI Cables
Cable for tight bend applications

HDMI 2.1
8K 48G EXTENDER CABLES
Slim & flexible cable for tight bend applications

connect in any direction
ives • Digital Cameras • GPS

Audio Video CO
HDMI to Composite
Audio & Video Converter
HD source (Blu-ray) to older TV
SKU: HCCA-A5-E

Technical Support
1-800-622-9606
1-800-344-3371
support@qvs.com
www.qvs.com

USB-C Adapters
Type-C user-friendly reversible connector connects in any direction

Reversible Connector

These USB-C adapters convert any device USB-C port for data transfer, power & charging. The USB-C Angle Adapters convert any USB-C port into Up, Down, Left or Right angle which is ideal for tight space application & eliminate cable bend and supports USB 3.2 10Gbps speed and up to 20-watts pass-thru power output.

USB C to Right Angle Adapter
USB C to Left Angle Adapter
USB C to 3.5mm Female Audio Adapter

USB C Male to USB Female 10Gbps Compact Connection Adapter
USB C Male to USB Female USB 3.1 Adapter
USB C Male to USB Female USB 3.1 Adapter

Converts USB-C Port
Tablets • Smart Phones • External Drives • D

1-800-622-9606
1-800-344-3371
support@qvs.com
www.qvs.com

DisplayPort to HDMI Active/Eyefinity
SKU: DP4D-AUF

Highest Performance & most vs High resolution capability & abs

Converts DisplayPort into HDMI port.

DisplayPort Digital A/V Cable with Latches
SKU: DP4D Series

Connects flat panel monitors to computers with DisplayPort

DisplayPort to HDMI Cable with Latches
SKU: DP4D Series

Provides Space-Saving Design and Flexibility

HDMI to Micro HDMI
Available in 0.5, 1, 1.5, 2, 3, 4.5 meters

any device
External Drives
UltraHD 4K HD
Flat CL3 In-Wall Rated for Commercial & Residential Applications

• HDMI to HDMI
• Supports 3D, 1080p/1440p/4K x 2K, Ethernet, ARC & Digital Audio
• Flat and flexible for tight bends & under carpet applications
• Available in 1, 2, 3, 5, 8, 10, 12, 15 meters

High Speed HDMI with Ethernet

• HDMI to HDMI
• Supports 3D, 1080p/1440p/4K x 2K, Ethernet, ARC & Digital Audio
• Available in 0.5, 1ft, and 0.5, 1, 1.5, 2, 3, 4, 5, 6, 8, 10, 12, 15, 20, 25, 30 meters
• Extension Cables available in 0.5, 1ft, and 1, 2, 3, 5 meters

Provides Space-Saving Design and Flexibility

• HDMI to Micro HDMI
• Available in 0.5, 1, 1.5, 2, 3, 4.5 meters

Mini DisplayPort to Thunderbolt & MS Surface
Mini DisplayPort to Thunderbolt & MS Surface

Patented USB-A reversible connector
Reversible USB-A connector that connects in any direction
No more fumbling or guessing on how to plug in these cables to your computer
Available in USB to Type-B, USB to Mini-USB & USB to USB cable configurations

SKU: C22090-06 IP reversible USB-A male to regular USB-B female cable
C22191-06 IP reversible USB-A male to regular USB-B male cable
C22088-06 IP reversible USB-A male to reversible USB-B male cable
C22198-06 IP reversible USB-A male to regular USB-A female extension cable

Technical Support
1-800-622-9606
1-800-344-3371
support@qvs.com
www.qvs.com

HDMI® 2.1

HIGH-DEFINITION MULTIMEDIA INTERFACE

8K 48G EXTENDER CABLES

Slim & flexible cable for tight bend applications



DISPLAYPORT 1.4

8K 32.4G EXTENDER CABLES

Slim & flexible cable for tight bend applications



This active HDMI cable supports up to 8K/60Hz 4:4:4, 48Gbps, HDR10, Ethernet & ARC/eARC, HDMI 2.1 and HDCP 2.3 up to 100-Meters. Ideal for home and commercial applications including classrooms, conference rooms, and digital signage. With built-in equalizer, amplification, and filtering, it is designed to carry HDMI signals over longer distances without signal loss. Feature corrosion resistant gold contact and shielded to maintain signal integrity. Powered from HDMI port.

This active DisplayPort cable supports up to 8K/60Hz DSC 4:2:0, 4K/144Hz 4:4:4, 32.4Gbps, HBR3, HDCP 2.3 / DPCP up to 300ft. Ideal for home and commercial applications including classrooms, conference rooms, and digital signage. With built-in equalizer, amplification, and filtering, it is designed to carry DisplayPort signals over longer distances without signal loss. Feature corrosion resistant gold contact and shielded to maintain signal integrity. Powered from DisplayPort.



Slim flexible Cable



4-Screws Heavy-Duty Zinc Die-Cast Connectors



Length Label Cable Tag



Locking DP Connectors



Durable Zinc Die-Cast Connectors



Length Label Cable Tag

AVAILABLE LENGTHS:

HF8-8M	26FT
HF8-15M	49FT
HF8-30M	98FT
HF8-45M	147FT
HF8-60M	196FT
HF8-100M	328FT

SPECIFICATIONS:

Standard: HDMI 2.1 48Gbps / HDCP 2.3 / ARC & eARC / HEAC
 Resolution: Up to 8K/60Hz 4:4:4 / HDR10
 Wire Spec: Hybrid Optical OM3 Multi-mode 50/125 with TC Wire
 Min. Bend Radius: 2-Inches (40mm)
 Power: 5v from HDMI Port
 Warranty: 3-Year Limited Warranty

Note: This cable is directional with built-in transmitter (Source) and receiver (Display) on its connectors. eARC support up to 20-meter (65ft) and ARC support up to 50-meters (164ft).

AVAILABLE LENGTHS:

DF8-25	25FT
DF8-50	50FT
DF8-100	100FT
DF8-150	150FT

SPECIFICATIONS:

Standard: DP 1.4 32.4Gbps / HDCP 2.3 / HBR3 / DPCP
 Resolution: Up to 8K/60Hz DSC 4:2:0 | 4K/144Hz 4:4:4
 Wire Spec: Hybrid Optical OM3 Multi-mode 50/125 with TC Wire
 Min. Bend Radius: 2-Inches (40mm)
 Power: 5v from DP Port
 Warranty: 3-Year Limited Warranty

Note: This cable is directional with built-in transmitter (Source) and receiver (Display) on its connectors.

8K 60Hz **48 Gbps Bandwidth** **4K 144Hz** **GOLD PLATED** **HDMI HIGH SPEED WITH ETHERNET**

Corrosion Resistant
No Loss Signal Integrity

HDMI 2.1 48 Gbps

All names, trademarks & logos are property of their respective owners.
 For warranty & support, email: support@qvs.com. Product images shown for reference only.

8K 60Hz **32 Gbps** **GOLD PLATED** **LOCKING CONNECTORS**

Corrosion Resistant
No Loss Signal Integrity

HDMI 2.0 18 Gbps

All names, trademarks & logos are property of their respective owners.
 For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
 30727 Beverly Road
 Romulus, MI 48174
 Phone: 734-641-6700
 Fax: 734-641-6767

1-800-344-3371
 2731 Crimson Canyon Drive
 Las Vegas, NV 89128
 Phone: 702-228-3670
 Fax: 702-228-3671

Technical Support
 702-228-3670
 Mon-Fri / 8:00AM-5:00PM PST
 Support@QVS.com
 Technical Support Form
 Live Chat

1-800-622-9606
 30727 Beverly Road
 Romulus, MI 48174
 Phone: 734-641-6700
 Fax: 734-641-6767

1-800-344-3371
 2731 Crimson Canyon Drive
 Las Vegas, NV 89128
 Phone: 702-228-3670
 Fax: 702-228-3671

Technical Support
 702-228-3670
 Mon-Fri / 8:00AM-5:00PM PST
 Support@QVS.com
 Technical Support Form
 Live Chat



Active HDMI 4K with Ethernet Cable
SKU: HF-xxM

Connects any device with HDMI. Up to 328ft, 4K/60Hz 18Gbps UHD.

Note: Directional cable with built-in transmitter (Source) & receiver (Display)

4K UHD

Available lengths: 5, 6, 8, 10, 12, 15, 20, 25, 30, 45, 60, 75, 100 Meter



Thin HDMI UltraHD 4K Flexible Cable
SKU: HDT-xxF

Connects any device with HDMI. Supports up to 4K/60Hz 18Gbps UHD. Slim connectors and flexible for easy installation.

4K UHD

Available lengths: 0.5, 1, 1.5, 3, 6, 10 Feet




Active HDMI 8K with Ethernet Cable
SKU: HF8-xxM

Connects any device with HDMI. Supports up to 8K/60Hz 48Gbps UHD, HDR10, ARC/eARC. Slim and flexible cable for easy installation.

8K UHD

Available lengths: 8, 15, 30, 45, 60, 100 Meter



DisplayPort 1.4 8K Black Nylon-Braided Cable
SKU: DP8-xxP

Connects any computer with DisplayPort to flat panel monitor with DisplayPort port, or vice versa. Supports resolution up to 8K UHD.

8K UHD

Available lengths: 3, 6, 10, 15 Feet

USB-C Cables & Converters
Type-C user-friendly reversible connectors



USBCDP-xx M/M USB-C to DisplayPort 4K 60Hz 3 to 15ft
 USBCHD-xx M/M USB-C to HDMI 4K 60Hz 3 to 10ft
 USBCVGA-xx M/M USB-C to VGA 1080p 60Hz 3 & 10ft

CC2240A-1M	M/M USB-C to USB-C 4.0 40Gbps GEN3 5Amp 240-Watts 1-Meter
CC2240PB-xxM	M/M USB-C to USB-C 2.0 5Amp / 240-watts 1 & 2-Meter
CC2230A2-xxM	M/M USB-C to USB-C 10Gbps GEN2 5Amp 100-Watts 1 & 2-Meter
CC2230AX-xxM	M/F USB-C to USB-C 10Gbps GEN2 5Amp 100-Watts 0.5 & 1-Meter
CC2230C-xxM	M/M USB-C to USB-C 3.2 5Gbps 3Amp 60-Watts 1 to 3-Meter
CC2230CX-xxM	M/F USB-C to USB-C 3.2 5Gbps 3Amp 60-Watts 0.5 to 2-Meter
CC2230B-xxM	M/M USB-C to USB-C 2.0 Sync & Charger Cable 1-1.5ft, 1 to 4-Meter
CC2230SB-xxM	M/M USB-C to USB-C 2.0 Sync & Charger Cable 1 & 2-Meter
CC2231A-xxM	M/M USB-C to USB-A 3.2 10Gbps GEN2 3Amp 60-Watts 1 & 2-Meter
CC2231A-3M	M/M USB-C to USB-A 3.2 5Gbps GEN1 60-Watts 3-Meter
CC2231B-xxM	M/M USB-C to USB-A 2.0 Sync & Charger Cable 1 to 4-Meter
CC2233-1M	M/M USB-C to Micro-USB 3.0 5Gbps 3Amp 1-Meter
CC2235-xxM	M/M USB-C to USB-B 3Amp 1 & 2-Meter
CC2237-03	M/M USB-C to 3.5mm Audio 3-ft Active Cable
CC2238-xx	M/M USB-C to Lightning 20-Watts 3 & 6ft




Ultra HDMI 8K with Ethernet Cable
SKU: HD8B-xxM

Connects any device with HDMI. Supports 8K/60Hz 48Gbps UHD.

8K UHD

Available lengths: 1, 2, 3 Meter



USB-C 4.0 Sync & Charger Cable
SKU: CC2240A-1M

Connects USB-C enabled devices. Supports single 8K @ 60Hz, 5Amp or 240-watts of power output, 40Gbps data transfer.

Available length: 1 Meter

Active UltraHD 4K HDMI Cables

Slim & flexible cable for tight bend applications



This active HDMI cable supports up to 4K/60Hz 4:4:4, 18Gbps, HDR10, Ethernet & ARC/eARC, HDMI 2.0 and HDCP 2.2 up to 100-Meters. Ideal for home and commercial applications including classrooms, conference rooms, and digital signage. With built-in equalizer, amplification, and filtering, it is designed to carry HDMI signals over longer distances without signal loss. Feature corrosion resistant gold contact and shielded to maintain signal integrity. Powered from HDMI port.


SKU: HF-5M	16.40 ft	5-Meter	HF-25M	82.02 ft	25-Meter
HF-6M	19.68 ft	6-Meter	HF-30M	98.42 ft	30-Meter
HF-8M	26.24 ft	8-Meter	HF-45M	147.64ft	45-Meter
HF-10M	32.80 ft	10-Meter	HF-60M	195.85 ft	60-Meter
HF-12M	39.40 ft	12-Meter	HF-75M	246.06 ft	75-Meter
HF-15M	49.20 ft	15-Meter	HF-100M	328.08 ft	100-Meter
HF-20M	65.60 ft	20-Meter			

Connects your devices to HDTV or Projector


Media Players · Tablets · Computers · Switches

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Product images shown for reference only.




1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767



1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671



Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat



1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767



1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671



Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com




Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

DisplayPort Angle Flex 6" Adapter UltraHD 8K HDMI/DisplayPort


For Tight Space Installations & Eliminates Cable Bend

Ideal for crisp, high resolution images


SKU: DPXUP-0.5F




SKU: DPXDW-0.5F



SKU: DPXRT-0.5F



SKU: DPXLF-0.5F



With tighter and thinner HDTV installations, an HDMI Angle Flex 6-inch Adapter will ensure that the HDTV port is protected and HDMI cable goes in the direction you want it. Each adapter cable can be purchased individually for those who want to setup their own system or as a pack for installers.

SKU: DPX-0.5F



HDMI cables support up to 4K/120Hz or 8K/60Hz 48Gbps, Ethernet & ARC, HDR, HDCP and CEC controls. Feature corrosion resistant gold contact and shielded to maintain signal integrity. DisplayPort cables support high-definition resolution up to UHD 4K/120Hz or UHD 8K/60Hz, 16K/60Hz with HDR (DSC), DP 2.0 & 77.4Gbps bandwidth and optional audio. Latching connectors secure port connection.

SKU: DisplayPort Cables:		HDMI Cables:	
8K	16K	HD8-1M	HD8B-1M
DP8-03P	DP16-03	3 feet	1 Meter (3.3ft)
DP8-06P	DP16-06	6 feet	2 Meter (6.6ft)
DP8-10P	DP16-10	10 feet	3 Meter (9.8ft)
DP8-15P		15 feet	4 Meter (13.1ft)
			5 Meter (16.4ft)
			HD8-5M
			HD8-FF
			Female to Female Coupler



Connects your devices to HDTV or Projector

Connects your devices to HDTV or Projector

Computers · Tablets · Media Player · Digital Cameras

Video Players · PS5 · Computers · Switches or Splitters

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

HDMI 4K Angle Flex 6" Adapter UltraHD 4K HDMI Cables

For Tight Space Installations & Eliminates Cable Bend

Flat CL3 In-Wall Rated for Commercial & Residential Applications

SKU: HDXUP-0.5F

SKU: HDXDW-0.5F

SKU: HDXRT-0.5F

SKU: HDXLF-0.5F



Up 6 Inches

Down 6 Inches

Right 8.5 Inches

Left 6 Inches

With tighter and thinner HDTV installations, an HDMI Angle Flex 6-inch Adapter will ensure that the HDTV port is protected and HDMI cable goes in the direction you want it. Each adapter cable can be purchased individually if you want to setup your own system or as a pack for installers (SKU: HDXTV-K1).

SKU: HDXG-0.5F



Straight 6 Inches



SKU: HDF-x Series

- HDMI to HDMI
- Supports 3D, 1080p/1440p/4K x 2K, Ethernet, ARC & Digital Audio
- Flat and flexible for tight bends & under carpet applications
- Available in 1, 2, 3, 5, 8, 10, 12, 15 meters

High Speed HDMI with Ethernet



SKU: HDG-xMC Series M/M Cables HDXG-xM Series M/F Cables HDG-xxMD Series M/M 25M & 30M Active Cables

- HDMI to HDMI
- Supports 3D, 1080p/1440p/4K x 2K, Ethernet, ARC & Digital Audio
- Available in 1, 2, 3, 4, 5, 6, 8, 10, 12, 15 and 20 meters
- Extension Cables available in 0.5, 1ft, and 1, 2 meters
- Active Cables available in 25 and 30 meters

Thin Diameter Provides Space-Saving Design and Flexibility



SKU: HDAC-xM Series HDAC-MF

- HDMI to Mini HDMI
- Available in 1 & 2 meters



SKU: HDAD-xM Series HDAD-MF/HDAD-MFA

- HDMI to Micro HDMI
- Available in 1, 1.5, 2, 3 meters



Connects your devices to HDTV or Projector

Computers • Tablets • Media Player • Digital Cameras



Connects your devices to HDTV or Projector

Computers • Tablets • Media Player • Digital Cameras

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.shopqvs.com

HDMI LONG CABLES

Flat CL3 In-Wall Rated 4K HDMI Cable

- Connects any HDMI devices
- CL3 In-Wall rated for **commercial & residential applications**
- Flat and flexible for tight bends & under carpet applications
- Supports 3D, 1080p/1440p/4K x 2K, Ethernet, ARC & Digital Audio

PART NUMBER	LENGTH
HDF-8M	8 Meter/26.2ft
HDF-10M	10 Meter/32.8ft
HDF-12M	12 Meter/39.3ft
HDF-15M	15 Meter/49.1ft



4K ULTRA HD



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.shopqvs.com

DVI LONG CABLES

DVI Cable

SKU: HSDVIG-8MC
8-Meter/26.2ft

HSDVIG-10MC
10 Meter/32.8ft

HSDVIG-15MC
15 Meter/49.1ft



Connects any DVI digital flat panel, DVD, set-top box & receiver, HDTV, projector, switch or splitter. Double shielding for maximum video performance up to 1920x1200.

Premium DVI Cable

SKU: HSDVIG-10MB
10-Meter/32.8ft



Connects any DVI digital flat panel, DVD, set-top box & receiver, HDTV, projector, switch or splitter. Supports HDCP, high-bandwidth and video performance up to 1920x1200/60Hz.

High Speed HDMI with Ethernet 4K Cables

- Connects any HDMI devices
- Supports 3D, 1080p/1440p/4K x 2K, Ethernet, ARC & Digital Audio

PART NUMBER	LENGTH
HDG-8MC	8 Meter/26.2ft
HDG-10MC	10 Meter/32.8ft
HDG-12MC	12 Meter/39.3ft
HDG-15MC	15 Meter/49.1ft
HDG-20MC	20 Meter/65.6ft



4K ULTRA HD

30-Meter High Performance Active DVI Cable

SKU: HSD-EQ30MB
30-Meter/100ft

- Connects computer or home theater device to monitor, HDTV or projector
- Supports 1920x1200 @ 60Hz & HDTV's 1080p
- Built-in EQ for high resolution video transfer



60-Meter HDMI EQ Active Cable Extender

SKU: MHDCP-EQH4
60-Meter/196ft

- Actively regenerates the signal
- Works with flat panel, plasma screen, projector, switch, splitter, computer video display, HDTV/HDCP, set-top box, DTV and DVD



DVI Active Extender Kit High Performance Cables

SKU: HSDVIG-25MK
25-Meter/82ft


- Connects any DVI devices
- Supports 1920x1200 @ 60Hz & HDTV's 1080p
- **Work as non-powered**
- Includes DVD-D cable, DVI EQ Extender, 2-Meter patch cord and AC power adaptor



 **1-800-622-9606**
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

 **1-800-344-3371**
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

 **Technical Support**
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

 **1-800-622-9606**
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

 **1-800-344-3371**
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

 **Technical Support**
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

USB-C Cables

Type-C user-friendly reversible connector connects in any direction



Reversible Connector



Connects USB-C enabled device for data transfer, power & charging. Connects printer, scanner, keyboard, mouse to USB-C enabled device. Supports 5Amp of power output and 10Gbps data transfer rate. It can sync & charge smartphone/tablet with USB-C port.

- SKU: CC2240A-1M M/M USB-C to USB-C 4.0 40Gbps GEN3 5Amp / 240-watts 1 Meter Cable
- SKU: CC2240PB-xM M/M USB-C to USB-C 3.2 480Mbps 5Amp / 240-watts 1 & 2-Meter Cable
- SKU: CC2230A2-xM M/M USB-C to USB-C 3.2 10Gbps GEN2 5Amp / 100-watts 1 & 1.5ft, 1 & 2-Meter Cable
- SKU: CC2230AX-xM M/F USB-C to USB-C 3.2 10Gbps GEN2 5Amp / 100-watts 0.5 & 1-Meter Extension Cable
- SKU: CC2230C-xM M/M USB-C to USB-C 3.2 5Gbps 3Amp / 60-Watts 1 to 3-Meter Cable
- SKU: CC2230CX-xM M/M USB-C to USB-C 3.2 5Gbps 3Amp / 60-Watts 0.5 to 2-Meter Extension Cable
- SKU: CC2230B-xM M/M USB-C to USB-C 2.0 Sync & Charger 1 & 1.5ft, 1 to 4-Meter Cable
- SKU: CC2231A-xM M/M USB-C to USB-A 3.2 10Gbps GEN2 3Amp / 60-Watts 1 & 2-Meter Cable
- SKU: CC2231A-3M M/M USB-C to USB-A 3.2 5Gbps 3Amp / 60-Watts 3-Meter Cable
- SKU: CC2231B-xM M/M USB-C to USB-A 2.0 Sync & Charger 3Amp / 60-Watts 1 to 4-Meter Cable
- SKU: CC2233-1M M/M USB-C to Micro-USB 3.0 5Gbps 3Amp 1-Meter Cable
- SKU: CC2235-xM M/M USB-C to USB-B 3Amp Data 1 & 2-Meter Cable
- SKU: CC2237-03 M/M USB-C to 3.5mm Audio 3-Feet Active Cable
- SKU: CC2238-xx M/M USB-C to Lightning 20-Watts 3 & 6-Feet Cable

Connects USB-C enabled devices



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

USB-C Adapters

Type-C user-friendly reversible connector connects in any direction



Reversible Connector

These USB-C adapters convert any device USB-C port for data transfer, power & charging. The USB-C Angle Adapters convert any USB-C port into Up, Down, Left or Right angle which is ideal for tight space application & eliminate cable bend and supports USB 3.2 10Gbps speed and up to 20-watts pass-thru power output.

 USB-C Up or Down Angle Adapter SKU: CC2230MFA	 USB-C Left or Right Angle Adapter SKU: CC2230MFB	 USB-C Male to 3.5mm Female Audio Active Slim Adapter SKU: CC2237MF
 USB-C Male to Micro-USB Female USB 2.0 Adaptor SKU: CC2232MFA	 USB 3.1 Male to USB-C Female 10Gbps Compact Conversion Adaptor SKU: CC2231FMA	 USB-C Male to USB-A Female USB 3.1 Adaptor SKU: CC2231MFA
 USB-C Male to USB-A Female 3.2 10Gbps 60-Watts Conversion Adaptor SKU: CC2231MF		

Converts USB-C Port

Tablets · Smart Phones · External Drives · Digital Cameras · GPS Tablets · Smart Phones · External Drives · Digital Cameras · GPS

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
 30727 Beverly Road
 Romulus, MI 48174
 Phone: 734-641-6700
 Fax: 734-641-6767

1-800-344-3371
 2731 Crimson Canyon Drive
 Las Vegas, NV 89128
 Phone: 702-228-3670
 Fax: 702-228-3671

Technical Support
 702-228-3670
 Mon-Fri / 8:00AM-5:00PM PST
 Support@QVS.com
 Technical Support Form
 Live Chat

1-800-622-9606
 30727 Beverly Road
 Romulus, MI 48174
 Phone: 734-641-6700
 Fax: 734-641-6767

1-800-344-3371
 2731 Crimson Canyon Drive
 Las Vegas, NV 89128
 Phone: 702-228-3670
 Fax: 702-228-3671

Technical Support
 702-228-3670
 Mon-Fri / 8:00AM-5:00PM PST
 Support@QVS.com
 Technical Support Form
 Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

USB-C/Thunderbolt 3 Video Converters USB 3.0 5Gbps Cables

Converts USB-C or Thunderbolt 3 port into HDMI, DisplayPort or VGA port Fast download of hi-def video, music, picture, data and more

USB-C/Thunderbolt 3 to HDMI 4K/60Hz
USBCHD-MF



4K UHD

USB-C/Thunderbolt 3 to DisplayPort 4K/60Hz
USBCDP-MF



4K UHD

USB-C/Thunderbolt 3 to VGA 1080p/60Hz
USBCVGA-MF



4K UHD

USB-C/Thunderbolt 3 Cables



Available in 3ft, 6ft and 10ft; 15ft special order.

USB-C to 3.5mm Audio Active Adapter Cable



Available in 3ft & 6ft. CC2237-xx



USB A to Micro-B (CC2228C Series)




USB A to B (CC2219C Series)



USB A to A (CC2229C Series)


These cables connect USB 3.0 device to your computer. USB A is backwards compatible with USB 2.0/1.1 and works with development boards, male to female extension cable works with existing sync/charger cable. The Type-C user-friendly reversible connector connects in any direction and works with Apple Macbook 2015 or later and Google ChromeBook. Available in 3, 6, 10 & 15ft.



USB A to A M/F (CC2220C Series)

Hot-pluggable with user-friendly reversible connector connects in any direction and provides high-bandwidth to support large, high resolution screens. Screen resolution up to 4Kx2K / 3840x2160 @ 60Hz with digital audio.

USB-C to 3.5mm Audio Active Adapter



CC2237MF

USB-C to 3.5mm Audio Active Adapter Up to 100-Watts USB-C Power Charging



CC2237MFC

- NOTE: Only works with USB 3.0/3.1 device.
- SKU: CC2228C Series M/M Micro-USB Sync, Charger & Data Transfer Cable
 - CC2219C Series M/M Type A to B Cable
 - CC2229C Series M/M Type A Cable (Works with USB 2.0/1.1 device)
 - CC2220C Series M/F Type A Extension Cable (Works with USB 2.0/1.1 device)

Supports Apple, Chromebook, Windows & Android Computers · HDTV/Flat Panel · Projectors · Smartphone Printer · Scanner · Storage Drive · Smartphone · Tablet

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

USB 3.1 16ft Active Extension Cable

Provides maximum flexibility for USB devices



SKU: USB3-RPTR 16ft

- USB 3.0/3.1 GEN1 compliant
- Supports speeds of up to 5Gbps
- Works with Windows 11/10/8/7/Vista/XP/MAC OS
- Actively regenerates the signal to preserve data integrity
- Maximum total distance: 31ft
- Available Length: 16 feet

Extend the distance between computer and USB device

Security • Surveillance Video • PC Digital Audio Systems

USB to RS232 Serial Cable

Provides maximum flexibility for USB devices

USB-C to RJ45 Cisco Rollover Cable



SKU: UR-2000M2-RC

USB-C to DB9 Serial Adaptor Cable



SKU: UR-2000M2C

USB to RJ45 Cisco Rollover Cable



SKU: UR-2000M2-RJ45 6ft
UR-2000M2-RJ45B 10ft

USB to DB9 Serial Adaptor Cable



SKU: UR-2000M2

Connects serial device with RJ45 or DB9 to PC USB port

Modem • Router • Printer • Barcode Scanner

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

DisplayPort™

Highest Performance & most versatile connection technology
High resolution capability & ability to support long video cables

DisplayPort™

Highest Performance & most versatile connection technology
High resolution capability & ability to support long video cables

Mini DisplayPort to DisplayPort

ThunderBolt & MS Surface Pro Tablet Compatible
SKU: MDPDP-1M (White)
MDPDP-xxBK (Black)

Connects any computer with DisplayPort to flat panel monitor with Mini DisplayPort port, or vice versa. Supports 3840x2160. Compatible with ThunderBolt port.



Available Lengths: 1 Meter (White)
1, 2 Meters (Black)

Mini DisplayPort

SKU: MDP-xx



Available Lengths: 1 & 4.5 Meters

Connects flat panel monitors to computers with Mini DisplayPort or ThunderBolt port. Supports 3840x2160.

DisplayPort to DVI Active/Eyefinity

SKU: DPDVI-AMF



Converts DisplayPort into **DVI** port.

DisplayPort to HDMI Active Adaptor

SKU: DPHD-AMF



Converts DisplayPort into **HDMI** port.

DisplayPort Gender Changer/Coupler

SKU: DP-FF



Converts DisplayPort cable or port with male connector into female. Can also connect two DisplayPort cables with male connectors. NOTE: For 4K applications, this requires thicker cables that are at least 26AWG.

Mini DisplayPort to DVI

ThunderBolt & MS Surface Pro Tablet Compatible
SKU: MDPDVI Series

This conversion video cable eliminates the need for a separate Mini-DisplayPort to DVI converter.

Available Lengths: 3, 10 Feet

Mini DisplayPort to HDMI

ThunderBolt & MS Surface Pro Tablet Compatible
SKU: MDPH-xx (White)
MDPH-xxBK (Black)

This conversion video cable eliminates the need for a separate Mini-DisplayPort to HDMI converter.

Available Lengths: 10, 15 Feet (White)
3, 6, 10, 15 Feet (Black)

DisplayPort Digital A/V Cable with Latches

SKU: DPM-xx (Black)
DPM-xxWH (White)

Connects flat panel monitors to computers with DisplayPort.

Available Lengths: 1, 2, 3, 6, 10, 15, 25 Feet (Black)
3, 6, 10, 15 Feet (White)

DisplayPort to DVI Cable with Latches

SKU: DPDVI Series

This conversion video cable eliminates the need for a separate DisplayPort to DVI converter.

Available Lengths: 3, 6, 10, 15 Feet

Mini DisplayPort to VGA

ThunderBolt & MS Surface Pro Tablet Compatible
SKU: MDPVGA Series

This conversion video cable eliminates the need for a separate Mini-DisplayPort to VGA converter.

Available Lengths: 3, 6, 10, 15 Feet

Mini DisplayPort to HDMI

Active/ThunderBolt Compatible
SKU: MDPH-AMF

Converts Mini DisplayPort into **HDMI** port.



DisplayPort to HDMI Cable with Latches

SKU: DPHD-xx (Black)
DPHD-xxW (White)

This conversion video cable eliminates the need for a separate DisplayPort to HDMI converter.

Available Lengths: 3, 6, 10, 15 Feet (Black)
3, 6, 10 Feet (White)

DisplayPort to VGA Cable with Latches

SKU: DPVGA Series

This conversion video cable eliminates the need for a separate DisplayPort to VGA converter.

Available Lengths: 6 & 15 Feet

Mini DisplayPort to HDMI

ThunderBolt & MS Surface Pro Tablet Compatible
SKU: MDPH-MF



Converts Mini DisplayPort into **HDMI** port. Supports 1080p & 1920x1200.

Mini DisplayPort to VGA

ThunderBolt & MS Surface Pro Tablet Compatible
SKU: MDPV-MF



Converts Mini DisplayPort into **VGA** port. Supports 1920x1080.

DisplayPort to DVI

SKU: DPDVI-MF (Black)
DPDVI-MFW (White)



Converts DisplayPort into **DVI** port. Supports 1920x1200.

DisplayPort to HDMI

SKU: DPHD-MF



Converts DisplayPort into **HDMI** port. Supports 1920x1200 & optional audio.

DisplayPort to VGA

SKU: DPVGA-MF



Converts DisplayPort into **VGA** port. Supports 1920x1200.

DisplayPort 1.4 8K Black Nylon-Braided Cable

SKU: DP8-xxP

Connects any computer with DisplayPort to flat panel monitor with DisplayPort port, or vice versa. Supports resolution up to 8K UHD.



Available lengths: 3, 6, 10, 15 Feet



DisplayPort Gender Changer/Coupler

SKU: DP-FF

Converts DisplayPort with male connector into female. Can also connect two Displayport cables with male connectors.



NOTE: For 4K applications, this requires thicker cables that are at least 26AWG.

DisplayPort 1.4 8K Black Cable with Latches

SKU: DP8-xx

Connects any computer with DisplayPort to flat panel monitor with DisplayPort port, or vice versa. Supports resolution up to 8K UHD.



Available lengths: 3, 6, 10, 15 Feet



DisplayPort 2.0 16K Black Cable with Latches

SKU: DP16-xx

Connects any computer with DisplayPort to flat panel monitor with DisplayPort port, or vice versa. Supports resolution up to UHD 16K.



Available lengths: 3, 6, 10 Feet

DisplayPort Digital A/V White Cable with Black Connectors & Latches

SKU: DPM-xxWBK

Connects flat panel monitors to computers with DisplayPort.



Available lengths: 6 & 10 Feet

DisplayPort Digital A/V White Cable with Blue Connectors & Latches

SKU: DPM-06WBL

Connects flat panel monitors to computers with DisplayPort.



Available length: 6 Feet

DisplayPort Digital A/V Black Cable with Latches

SKU: DPM-xx

Connects flat panel monitors to computers with DisplayPort.



Available lengths: 1, 2, 3, 6, 10, 15, 25 Feet

Mini DisplayPort to DisplayPort ThunderBolt & MS Surface Pro Tablet Compatible

SKU: MDPDP-xxMBK


Connects any computer with DisplayPort to flat panel monitor with Mini DisplayPort port, or vice versa. Compatible ThunderBolt port.



Available lengths: 1 and 2 Meters

CAT5e / CAT6 / CAT7 Patch Cords

Support GigEthernet, IEEE 802.3af & 802.3at POE standard



Gold-plated Connectors

Shielded Connectors



CAT7



CAT6 POE



CAT6 Slim



CAT5e/RJ45 Shielded

CAT7 S-STP 600MHz patch cord supports up to 10Gbps. CAT6 supports GigEthernet, IEEE 802.3af & 802.3at POE standard. CAT5e provides pigtail connection on RJ45 port & can also be used as Ethernet/LAN extension cable.

- | | |
|----------------------|---|
| SKU: CC716-xx Series | CAT7 (3, 7, 10, 15, 25, 50, 75 & 100ft) |
| CC715N-xx Series | CAT6 (150, 200 & 250ft) |
| CC715S-xx Series | CAT6 Slim (3, 7 & 14ft) |
| CC712MF-01 | CAT5e Shielded (1ft) |

Support high speed applications

Computer · Router · Hub · Patch Panel · Wall Jack

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

HDMI to Composite Audio & Video Converter

HD source (Blu-ray) to older TV
SKU: HRCA-AS-R



Converts 720p or 1080p to 480i resolution

Composite Audio & Video to HDMI Converter

Older A/V device to HDTV
SKU: HRCA-AS



Upscales signal to 720p or 1080p

HDMI/DVI to VGA/RGB Audio & Video Converter

HD source (Blu-ray) to HDTV
SKU: HCV-VA



Supports video signals up to 1080p and up to 1920x1200

USB to 2.1 Stereo Audio Adaptor

PC to headset & microphone
SKU: USB-AUDIO3



Connects headset & microphone thru USB port

HDMI to Toslink & RCA Audio Converter

HD source (Blu-ray) to HDTV
SKU: HD-ADEX2



Converts HDMI audio to Toslink & RCA or 3.5mm stereo audio

HDMI 4K to Toslink & RCA Audio Converter

HD source (Blu-ray) to HDTV
SKU: HD-ADE4K



Converts HDMI audio to Toslink & RCA or 3.5mm stereo audio

Toslink to Coaxial Digital Audio Converter

HD source (Blu-ray) to AV receiver
SKU: FCTK-RCA



Supports PCM, Dolby and DTS multi-channel audio.

Does not convert S/PDIF Toslink into ANALOG RCA stereo audio.

HDMI to VGA Video Converter

HD source (Tablet) to HDTV
SKU: XHDV



Supports 1080p, 1920x1080 & extended desktop

HDMI to VGA AV Converter

HD source (Tablet) to HDTV
SKU: XHDV-A



Supports 1080p, 1920x1080 & extended desktop

HDMI to VGA AV Converter

HD source (Tablet) to HDTV
SKU: XHDV-AP



Powered through VGA or USB port
Supports 1080p, PC's 1440p & extended desktop

HDMI to VGA Video Converter Cable

HD source (Tablet) to HDTV
SKU: XHDV-03
XHDV-06
XHDV-10



Supports 1080p, PC's 1920x1080 & extended desktop

Toslink to Stereo RCA Audio Converter

Toslink/Coax source to RCA R/L device
SKU: SPDIF-RCA



Converts Coaxial or Toslink digital audio to analog R/L audio

Stereo RCA to Toslink Audio Converter

RCA R/L source to Toslink/Coax device
SKU: RCA-SPDIF



Converts analog R/L audio to Coaxial and Toslink digital audio

Mini-HDMI to VGA Converter

HD source (Tablet) to HDTV
SKU: XHDVC-MF



Supports 1080p, 1920x1080 & extended desktop

USB-C to 3.5mm Audio Active Adapter

SKU: CC2237MF



Supports HDTV's 1080p, PC's 1920x1080 & extended desktop



1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767



1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671



Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Live Chat



1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767



1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671



Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Pro Audio Cables

Converts any XLR device, 1/4 or 3.5mm port



Shielded cable

Flexible cable



Connects microphone or guitar to mixer, preamp, DI box or recorders. Features heavy duty XLR locking connector with flexible cable and built-in strain-relief. The male to female balance audio cable help reduce electrical noise or ground loop while the right-angle connector eliminates cable bend. The premium TRS used shielded heavy gauge flexible cables and gold plated connectors. Available in 6, 10, 15 & 25ft.

- | | | | |
|---------------|--|-------------|--|
| SKU: XLRMF-xx | XLR Male to Female Balanced Audio Cable | CC399TRS-06 | 3.5mm Male to 1/4 Balance Male Cable (3 & 6ft) |
| XLRSM-xx | XLR Male to 3.5mm Male Balanced Audio Cable (6 & 10ft) | CC399TS-Yxx | 3.5mm Male to Dual-1/4 Male Y-Cable (6 & 10ft) |
| XLRSF-06 | XLR Female to 3.5mm Male Balanced Audio Cable (6ft) | TSRCA-10 | Dual-1/4 to Dual-RCA Audio Cable (10ft) |
| XLRT-Fxx | XLR Female to 1/4 Male Audio Cable (6 & 15ft) | TRSP-15 | Premium 1/4 Balance Shielded Male to Male Audio Cable |
| XLRT-Mxx | XLR Male to 1/4 Male Audio Cable (6 & 15ft) | TSRA-xx | 1/4 Male to Right-Angle Male Audio Cable (6, 10 & 15ft) |
| XLRSM-Y06 | 3.5mm Male to Dual-XLR Male Cable (6ft) | TRS-xx | 1/4 Balance Male to Male Audio Cable (6, 10 & 15ft) |
| | | TS-xx | 1/4 Male to Male Audio Cable (6, 10 & 15ft) |



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Audio Adaptors

Converts any XLR device, 1/4, RCA or 3.5mm port

1/4 to XLR



XLRT-BFM
Male to Female



XLRT-BMM
Male to Male

XLR to 1/4



XLRT-AMF
Male to Female

1/4 to 1/4



TRS-FF
Female to Female

3.5mm to 1/4



CC399PS-MF
Male to Female



CC399PS-FM
Female to Male

Connect microphone or musical instrument

Mixer • Preamp • DI Box/Recorder • Speaker

Connect microphone or musical instrument

Mixer • Preamp • DI Box/Recorder • Speaker

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Audio Adaptor Cables

Converts any XLR device, 1/4 or 3.5mm port



3.5mm Male Right-Angle to XLR Male
SKU: XLRTRS-01



3.5mm Female to Dual-XLR Male
SKU: XLRSM-Y



3.5mm Male to Dual-1/4 TS Female
SKU: CC399TS-YR



3.5mm Female to Dual-1/4 TS Male
SKU: CC399TS-Y



3-Pack 6-inch 1/4 to 1/4 Right-Angle TS
SKU: TSRAA-3PK



1/4 Male to Dual-3.5mm TRS Female
SKU: CC399PS-MFY



3.5mm Male Right-Angle to 1/4 Female
SKU: CC399PS-MFA



SKU: XLRTRS-01 3.5mm Male Right-Angle to XLR Male Adaptor
XLRSM-Y 3.5mm Female to Dual-XLR Male Y-Adaptor
CC399TS-YR 3.5mm Male to Dual-1/4 TS Female Y-Adaptor
CC399TS-Y 3.5mm Female to Dual-1/4 TS Male Y-Adaptor

CC399PS-MFA 3.5mm Male RA to 1/4 Female Audio Stereo Adaptor
CC399PS-MFY 1/4 Male to Dual-3.5mm TRS Female Adaptor Cable
TSRAA-3PK 3-Pack 6-inch 1/4 to 1/4 Right-Angle TS Instrument Cables



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Stereo Audio Cables

Specifically Designed for Computer & Smartphone Audio Applications



3-Ring Mini-Stereo
Male to Female Extension Cable
(CC411 Series)



3-Ring Mini-Stereo
Male to Male Cable
(CC411M Series)



3.5mm to 2.5mm
Male to Male Conversion Cable
(CC399C Series)

These mini-stereo cables have slim connectors and support audio & mic applications. The 2.5mm to 3.5mm audio conversion cable fits headphones including Bose QC35, JBL S700 and others with 2.5mm port. Available in 6 & 12ft.



3.5mm Female to Two 3.5mm Male
Splits 3-Ring audio/mic
(CC400FMY-M)



3.5mm Male to Two 3.5mm Female
Splits 3-Ring audio/mic output port
(CC400FMY-R)



3.5mm Male to 3 RCA Male
Connects camcorder to HDTV or projector
(CC399AV-06; 6ft)



3.5mm Male to 3 RCA Female
Converts HDTVs 3.5mm to RCA female port
(CC399AV-S1)



3.5mm Female to 2 RCA Male
Converts PC speaker cable to regular RCA
(CC399FM)

Connect microphone or musical instrument

Connect, extend or convert audio devices

Mixer • Preamp • DI Box/Recorder • Speaker

PC • Speaker • Smartphone • MP3 • Headphone • Tablet

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Power Products

Perfect for A/V, home or office devices



Angled Plug Flat Design

Heavy-Duty Power Cord

Flat Power Cord

SKU: PA-3P

SKU: PC3RX-10

SKU: PA-1P

SKU: PP-ADPT3



Protect electronic equipment from damaging voltage and current spikes. Flat and right-angle design on PC3RX eliminate bending of cord and allows for furniture to be closer to the wall. PA-1P is perfect for devices without built-in ON/OFF switch and allows for standby power.

- SKU: PC3RX-xx 3-Outlet 3-Prong 10 & 15ft Right-Angle Flat Power Extension Cord
- PC3PX-xx 3-Outlet 3-Prong 6, 10, 15 & 25ft Black Power Extension Cord
- PP-ADPT3-10 3-Angle Outlet 3-Prong Power Extension Cord
- PA-1P Single-Port Power Adaptor with Lighted On/Off Switch
- PA-3P 3-Outlets Space-Saver Grounded Power Splitter

Connect and extend length of existing cable

Computers • Smartphone/Tablet Chargers • Home Theatre

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

World Travel Adaptors

Works in over 180 countries/territories



Premium World Travel Power Adaptor with Surge Protection & 2.1A Dual-USB Charger

- Provides world-wide compatibility with surge protection
- USB auto-allocate & intelligent chipset for fast charging
- Re-charge any iOS & Android devices
- Dual-USB 2.1Amps fast charger
- 3-in-1 interchangeable adaptors

Available Colors: White (PA-C4), Black (PA-C4BK)



Premium World Travel Power Adaptor with Surge Protection

- Provides world-wide compatibility with surge protection
- All-in-1 adaptor works with over 180 countries
- Safety shutter to prevent accidental contact
- Includes travel pouch

Available Colors: White (PA-C3WH), Black (PA-C3)



US Plug AU Plug EU Plug UK Plug

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com




Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Deskmount Power / USB Charger / CAT6 Ports Deskmount Power & USB Charger

Adjustable Side-Table Mounting with Dual Clamps

Adjustable Side-Table Mounting with Dual Clamps



A convenient way to keep your devices fully charged at all times and provide power where it is needed. Connect your computers, peripherals and other office equipment. It has heavy duty 14AWG 10ft power cord with wall outlet space-saver right-angle power plug, and secure dual adjustable mounting that adjusts to fit desktops from 0.25" to 2" thick. The USB ports provide 3.5Amp combined. UL 962A, RoHS & REACH compliant.

A convenient way to keep your devices fully charged at all times and provide power where it is needed. Connect your computers, peripherals and other office equipment. It has heavy duty 14AWG 10ft power cord with wall outlet space-saver right-angle power plug, and secure dual adjustable mounting that adjusts to fit desktops from 0.25" to 2" thick. The USB ports provide 3.5Amp combined. UL 962A, RoHS & REACH compliant.

AC power and USB charging accessibility to desktop Smartphones · Tablets · Laptops

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
 30727 Beverly Road
 Romulus, MI 48174
 Phone: 734-641-6700
 Fax: 734-641-6767

1-800-344-3371
 2731 Crimson Canyon Drive
 Las Vegas, NV 89128
 Phone: 702-228-3670
 Fax: 702-228-3671

Technical Support
 702-228-3670
 Mon-Fri / 8:00AM-5:00PM PST
 Support@QVS.com
 Technical Support Form
 Live Chat

1-800-622-9606
 30727 Beverly Road
 Romulus, MI 48174
 Phone: 734-641-6700
 Fax: 734-641-6767

1-800-344-3371
 2731 Crimson Canyon Drive
 Las Vegas, NV 89128
 Phone: 702-228-3670
 Fax: 702-228-3671

Technical Support
 702-228-3670
 Mon-Fri / 8:00AM-5:00PM PST
 Support@QVS.com
 Technical Support Form
 Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Active Video Converters

A more streamlined result across a full array of monitors

Converts HDMI to DisplayPort 4K
Supports 4K/30Hz



4K
ULTRA HD

SKU: HDDP-MF

Converts DVI to DisplayPort
Supports 1920x1200/60Hz



SKU: DVIDP-MF

Converts DVI to VGA
Supports 1920x1080/60Hz



SKU: DVIVGA-MF

Designed to simplify making the video connection you need, when you need it. HDMI/DVI to DisplayPort converters are powered thru USB port. DVI to VGA converter works without external power.



Converts HDMI / DVI to DisplayPort / VGA Computer • Projector • Tablet

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty.
For warranty & support, email: support@qvs.com. Product images shown for reference only.



1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767



1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671



Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat