



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

DisplayPort Angle Flex 6" Adapter UltraHD 8K HDMI/DisplayPort

For Tight Space Installations & Eliminates Cable Bend

Ideal for crisp, high resolution images

SKU: DPXUP-0.5F

SKU: DPXDW-0.5F

SKU: DPXRT-0.5F

SKU: DPXLF-0.5F



SKU: DPX-0.5F



HDMI cables support up to 4K/120Hz or 8K/60Hz 48Gbps, Ethernet & ARC, HDR, HDCP and CEC controls. Feature corrosion resistant gold contact and shielded to maintain signal integrity. DisplayPort cables support high-definition resolution up to UHD 4K/120Hz or UHD 8K/60Hz, 16K/60Hz with HDR (DSC), DP 2.0 & 77.4Gbps bandwidth and optional audio. Latching connectors secure port connection.



SKU: DisplayPort Cables			HDMI Cables		
8K	16K		HD8-1M	1 Meter (3.3ft)	
DP8-03	DP16-03	3 feet	HD8-2M	2 Meter (6.6ft)	
DP8-06	DP16-06	6 feet	HD8-3M	3 Meter (9.8ft)	
DP8-10	DP16-10	0 feet			
DP8-15	DP16-15	5 feet			



With tighter and thinner HDTV installations, an HDMI Angle Flex 6-inch Adapter will ensure that the HDTV port is protected and HDMI cable goes in the direction you want it. Each adapter cable can be purchased individually for those who want to setup their own system or as a pack for installers.



Connects your devices to HDTV or Projector

Computers · Tablets · Media Player · Digital Cameras

Connects your devices to HDTV or Projector

Blu-ray Player · Cable TV · DVD · Switch or Splitter

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

HDMI 4K Angle Flex 6" Adapter UltraHD 4K HDMI Cables

For Tight Space Installations & Eliminates Cable Bend

Flat CL3 In-Wall Rated for Commercial & Residential Applications

SKU: HDXUP-0.5F



SKU: HDXDW-0.5F



SKU: HDXRT-0.5F



SKU: HDXLF-0.5F



SKU: HDXG-0.5F



- HDMI to HDMI
- Supports 3D, 1080p/1440p/4K x 2K, Ethernet, ARC & Digital Audio
- Flat and flexible for tight bends & under carpet applications
- Available in 1, 2, 3, 5, 8, 10, 12, 15 meters

High Speed HDMI with Ethernet



- HDMI to HDMI
- Supports 3D, 1080p/1440p/4K x 2K, Ethernet, ARC & Digital Audio
- Available in 1ft, and 1, 2, 3, 4, 5, 6, 8, 10, 12, 15, 20, 25 & 30 meters
- Extension Cables available in 0.5, 1ft, and 1, 2, 3 meters
- Active Cables available in 25 and 30 meters

SKU: HDXG-xM Series M/F Cables HDG-xxMD Series M/M 25M & 30M Active Cables

Thin Diameter Provides Space-Saving Design and Flexibility



- HDMI to Mini HDMI
- Available in 1 & 2 meters



- HDMI to Mini HDMI
- Available in 1 & 2 meters



Connects your devices to HDTV or Projector

Computers · Tablets · Media Player · Digital Cameras



Connects your devices to HDTV or Projector

Computers · Tablets · Media Player · Digital Cameras

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Thin UltraHD 4K HDMI HDMI Audio De-Embedders

Slim, Flexible & High Speed with Ethernet

Splits Audio from HDMI for Seperate Audio Systems



Slim hood design



Flexible thin cable



HDTV and media devices are adding more HDMI ports and placing them closer than ever before. With our Thin HDMI cables, we offer flexible cable design and slim hood for those tight & hard to reach ports and allow you to color-code your connection. Available in 0.5, 1, 1.5, 3, 6 & 10ft for regular cables; 0.5 & 1ft for extension cables, and HDT-xFW/-xPB/-xPR are available in 3, 6 & 10ft.

SKU: HDT-xF Series M/M Black Cables with Black Connectors
 HDT-xFW Series M/M White Cables with White Connectors
 HDT-xPB Series M/M White Cables with Blue Connectors
 HDT-xPR Series M/M White Cables with Red Connectors
 HDXT-xF Series M/F Extension Black Cables with Black Connectors

HDT-xF-xPK Series 3-Pack M/M Black Cables with Black Connectors
 HDT-xF-xPW Series 3-Pack M/M White Cables with White Connectors
 HDT-xF-xPB Series 3-Pack M/M White Cables with Blue Connectors
 HDT-xF-xPR Series 3-Pack M/M White Cables with Red Connectors
 HDT-xF-xPM Series 3-Pack M/M White Cables with Multicolor Connectors



Connects your devices to HDTV or Projector

Computers · Tablets · Media Player · Digital Cameras



These HDMI audio de-embedders provide pass-thru HDMI port with audio & allow you to extract the audio from your HDMI A/V sources. This extracted audio can be digital

optical S/PDIF (Toslink) or stereo analog audio signals for use by any amplifier or sound system. Great for use where projectors have HDMI input but you want to use a separate sound system. Our models have support for 1080p/4K, and dual HDMI output ports.



Extract Audio from HDMI Sources

Projectors · A/V Receivers · Sound Systems · HD Displays

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

HD-ADEX2 Special Order / Call for Availability

1-800-622-9606
 30727 Beverly Road
 Romulus, MI 48174
 Phone: 734-641-6700
 Fax: 734-641-6767

1-800-344-3371
 2731 Crimson Canyon Drive
 Las Vegas, NV 89128
 Phone: 702-228-3670
 Fax: 702-228-3671

Technical Support
 702-228-3670
 Mon-Fri / 8:00AM-5:00PM PST
 Support@QVS.com
 Technical Support Form
 Live Chat

1-800-622-9606
 30727 Beverly Road
 Romulus, MI 48174
 Phone: 734-641-6700
 Fax: 734-641-6767

1-800-344-3371
 2731 Crimson Canyon Drive
 Las Vegas, NV 89128
 Phone: 702-228-3670
 Fax: 702-228-3671

Technical Support
 702-228-3670
 Mon-Fri / 8:00AM-5:00PM PST
 Support@QVS.com
 Technical Support Form
 Live Chat



HDMI & DVI LONG CABLES

Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.shopqvs.com



DVI LONG CABLES

Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.shopqvs.com

Flat CL3 In-Wall Rated 4K HDMI Cable

- Connects any HDMI devices
- CL3 In-Wall rated for **commercial & residential applications**
- Flat and flexible for tight bends & under carpet applications
- Supports 3D, 1080p/1440p/4K x 2K, Ethernet, ARC & Digital Audio

PART NUMBER	LENGTH
HDF-8M	8 Meter/26.2ft
HDF-10M	10 Meter/32.8ft
HDF-12M	12 Meter/39.3ft
HDF-15M	15 Meter/49.1ft

4K
ULTRA HD

DVI Cable

SKU: HSDVIG-8MC
8-Meter/26.2ft

HSDVIG-10MC
10 Meter/32.8ft

HSDVIG-15MC
15 Meter/49.1ft



Connects any DVI digital flat panel, DVD, set-top box & receiver, HDTV, projector, switch or splitter. Double shielding for maximum video performance up to 1920x1200.

Premium DVI Cable

SKU: HSDVIG-10MB
10-Meter/32.8ft

HSDVIG-12MB
12-Meter/39.3ft



Connects any DVI digital flat panel, DVD, set-top box & receiver, HDTV, projector, switch or splitter. Supports HDCP, high-bandwidth and video performance up to 1920x1200/60Hz.

High Speed HDMI with Ethernet 4K Cables

PART NUMBER	LENGTH
HDG-8MC	8 Meter/26.2ft
HDG-10MC	10 Meter/32.8ft
HDG-12MC	12 Meter/39.3
HDG-15MC	15 Meter/49.1ft
HDG-20MC	20 Meter/65.6ft
HDG-25MC	25 Meter/82ft
HDG-30MC	30 Meter/98.4ft

4K
ULTRA HD

Connects any Blu-ray player, HDTV, cable TV & satellite set-top box, DVD, switch or splitter with HDMI. Supports 1080p/1440p/2160p, 4k x 2k Ultra HDTV, 3D, Ethernet & Audio Return Channel.

HDMI UltraHD 4K with Ethernet Active Cable

SKU: HDG-25MD
25-Meter/82ft

HDG-30MD
30-Meter/98.4ft



Connects Blu-ray player, HDTV, cable TV & satellite set-top box, with HDMI. Supports 1440p/2160p, 4K/30Hz, 3D, Ethernet & ARC. **Note: This active cable is directional.**

20-Meter High Performance DVI Cable

SKU: HSDVIZ-20MB
20-Meter/65.6ft



Connects DVI digital flat panel, DVD, set-top box & receiver, HDTV, projector, switch or splitter. Supports HDCP, high-bandwidth, uncompressed video, has double shielding for maximum video performance up to 1920x1200/60Hz.

30-Meter High Performance Active DVI Cable

SKU: HSD-EQ30MB
30-Meter/100ft



Connects computer or home theater device to monitor, HDTV or projector. Has built-in EQ for high resolution video transfer. Supports HDTV resolutions up to 1080p, and PC resolutions up to 1920x1200/60Hz.

HDMI to DVI Conversion Cables

SKU: HDVIG-8MC
8-Meter/26.2ft

HDVIG-10MC
10-Meter/32.8ft



Connects any DVI display to HDMI source or vice versa. Devices include monitors/HDTVs to PC/MAC/Streaming Media Boxes. Supports resolutions up to 1080p and 1920x1200 @ 60Hz.

60-Meter HDMI EQ Active Cable Extender

SKU: MHDCP-EQH4
60-Meter/196ft



As alternative to expensive fiber solutions, it uses HDMI EQ high performance copper cables allowing the extender to actively regenerate the signal. Works with flat panel, plasma screen, projector, switch, splitter, computer video display, HDTV/HDCP, set-top box, DTV and DVD.

DVI Active Extender Kit High Performance Cables

SKU: HSDVIG-25MK
25-Meter/82ft



Connects any device with DVI. Supports 1900x1200 & HDTV's 1080p. Includes AC power adapter but will also **work as non-powered**, DVI-D male cable, DVI EQ Extender and 2-Meter patch cord.

70-Meter DVI EQ Active Cable Extender

SKU: MHDCP-EQD2
70-Meter/229ft



Works with LCD/LED monitor, plasma display, projector, switch, splitter, HDTV/HDCP, set-top box or DVD. Actively regenerates the signal and supports 1080p up to 70-Meters. **Works as non-powered.**

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

USB-C/Thunderbolt 3 Video Converters Thunderbolt 3 Certified 100-Watts Cables

Converts USB-C or Thunderbolt 3 port into HDMI, DisplayPort or VGA port Support up to 40G data transfer & 5Amp / 100-Watts power

USB-C/Thunderbolt 3 to HDMI 4K/60Hz
USBCHD-MF



4K UHD

USB-C/Thunderbolt 3 to DisplayPort 4K/60Hz
USBCDP-MF



4K UHD

USB-C/Thunderbolt 3 to VGA 1080p/60Hz
USBCVGA-MF



4K UHD

USB-C/Thunderbolt 3 Cables



HDMI 4K/60Hz
DisplayPort 4K/60Hz
VGA

USBCHD-xx
USBCDP-xx
USBCVGA-xx

Available in 3ft, 6ft and 10ft; 15ft special order.

USB-C to 3.5mm Audio Active Adapter Cable



CC2237-xx

Available in 3ft & 6ft.



20Gbps Data Transfer Rate	
SKU: TB3-1M	1-Meter
TB3-2M	2-Meter
40Gbps Data Transfer Rate	
SKU: TB3-0.5M	0.5-Meter
40Gbps Data Transfer Rate Active	
SKU: TB3A-1M	1-Meter
TB3A-2M	2-Meter

Hot-pluggable with user-friendly reversible connector connects in any direction and provides high-bandwidth to support large, high resolution screens. Screen resolution up to 4Kx2K / 3840x2160 @ 60Hz with digital audio.

USB-C to 3.5mm Audio Active Adapter



CC2237MF

USB-C to 3.5mm Audio Active Adapter Up to 100-Watts USB-C Power Charging



CC2237MFC

- Daisy chain Thunderbolt 3 devices
- Hot-pluggable with user-friendly USB-C reversible connector
- Supports Dual 4Kx2K / 3840x2160 @ 60Hz with digital audio
- High-bandwidth support high resolution screens and storage devices
- Compatible with Thunderbolt 3, USB 3.1 USB-C and DisplayPort devices

Supports Apple, Chromebook, Windows & Android

Superfast Data Transfer & Power Charging

Computers · HDTV/Flat Panel · Projectors · Smartphone More Speed · More Pixels · More Possibilities

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

SKU: TB3-1M & TB3A-2M
Special Order / Call For Availability

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

USB-C 3.1 Cables & Adaptors

Type-C user-friendly reversible connector connects in any direction



Reversible Connector



Micro-USB 3.0



Micro-USB



Mini-USB



USB A



USB B



USB B 3.0



USB C



3.5mm

Connects USB-C enabled device for data transfer, power & charging. Connects printer, scanner, keyboard, mouse to USB-C enabled device. Supports 5Amp of power output and 10Gbps data transfer rate. It can sync & charge smartphone/tablet with USB-C port.

- | | |
|------------------|--|
| SKU: CC2230A2-1M | M/M USB-C to USB-C 10Gbps GEN2 5Amp / 100-watts 1-Meter Cable |
| CC2230A-1M | M/M USB-C to USB-C 10Gbps GEN2 3Amp / 60-Watts 1-Meter Cable |
| CC2231A-xM | M/M USB-C to USB-A 3.1 10Gbps GEN2 3Amp / 60-Watts 0.5 & 1-Meter Cable |
| CC2231B-xM | M/M USB-C to USB-A 2.0 Sync & Charger Cable 1 to 4-Meter Cable |
| CC2232-xM | M/M USB-C to Micro-USB Sync & 3Amp Charger 1 & 2-Meter Cable |
| CC2233-1M | M/M USB-C to Micro-USB 3.0 5Gbps 3Amp 1-Meter Cable |
| CC2234-xM | M/M USB-C to Mini-USB Sync & Charger 1 & 2-Meter Cable |
| CC2236-1M | M/M USB-C to USB-B 3.0 5Gbps 3Amp 1-Meter Cable |
| CC2235-xM | M/M USB-C to USB-B 3Amp Data 1 & 2-Meter Cable |
| CC2231MF | M/F USB-C to USB-A 5Gbps 3Amp / 60-Watts 6 Inches Cable |
| CC2231MFA | M/F USB-C to USB-A USB 3.1 Adapter |
| CC2232MFA | M/F USB-C to Micro-USB USB 2.0 Adapter |
| CC2237MF | M/F USB-C to 3.5mm Audio Active Adapter |

Connects USB-C enabled devices

USB 3.0 5Gbps Cables

Fast download of hi-def video, music, picture, data and more



USB A to Micro-B (CC2228C Series)



USB A to B (CC2219C Series)



USB A to A (CC2229C Series)



USB A to A M/F (CC2220C Series)



USB-C to USB-B (CC2236-1M)

These cables connect USB 3.0 device to your computer. USB A is backwards compatible with USB 2.0/1.1 and works with development boards, male to female extension cable works with existing sync/charger cable. The Type-C user-friendly reversible connector connects in any direction and works with Apple Macbook 2015 or later and Google ChromeBook. Available in 3, 6, 10 & 15ft.

NOTE: Only works with USB 3.0/3.1 device unless specified.

- | | |
|---------------------|--|
| SKU: CC2228C Series | M/M Micro-USB Sync, Charger & Data Transfer Cable |
| CC2219C Series | M/M Type A to B 5Gbps Cable |
| CC2229C Series | M/M Type A 5Gbps Cable (Works with USB 2.0/1.1 device) |
| CC2220C Series | M/F Type A 5Gbps Extension Cable (Works with USB 2.0/1.1 device) |
| CC2236-1M | M/M USB-C to USB-B 3.0 SuperSpeed 5Gbps 3Amp 1-Meter Data Cable |

Ten times the transmission rate of USB 2.0 Cables

Printer · Scanner · Storage Drive · Smartphone · Tablet

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat





Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

PREMIUM CABLE Reversible Micro-USB Reversible USB Cables

Eliminate the hassle of plugging in the USB cable the wrong way

Eliminate the hassle of plugging in the USB cable to your computer



SKU: QP2218R-x Series Black Cables
QP2218R-xW Series White Cables

2.1Amp
FAST CHARGE



GOLD PLATED
No Loss Signal Integrity

- SKU: CC2209R-06 6ft reversible USB-A male to regular USB-B male cable
- CC2215R-06 6ft reversible USB-A male to regular Mini-USB male cable
- CC2208R-06 6ft reversible USB-A male to reversible USB-A male cable
- CC2210R-06 6ft reversible USB-A male to regular USB-A female extension cable

No more fumbling or guessing on how to plug in these USB cables
Premium cable with patented USB-A & micro-USB reversible connectors
Made of thin flexible cable with slim USB connectors & molded strain relief
Both ends of the cable have reversible USB connectors that connect in any direction
Compatible with USB 2.0 & 3.0 / 3.1 and works with USB AC power outlet
Available in 1, 2, 3 & 6ft in black or white color cables

Patented USB-A reversible connector
Reversible USB-A connector that connects in any direction
No more fumbling or guessing on how to plug in these cables to your computer
Available in USB to Type-B, USB to Mini-USB & USB to USB cable configurations

Sync & charge any device with Micro-USB

USB-A reversible connector that connect in any direction

Tablets · Smart Phones · External Drives · Digital Cameras · GPS

Printers · Scanners · External Drives · Digital Cameras · GPS

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty.
For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty.
For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Micro-USB with Power Control Switching Power Supply for Raspberry Pi

Micro-USB cable with built-in Power On & Off switch

Also a power charger for smartphones & tablets with Micro-USB port



2.1Amp
FAST CHARGE

Sync and/or re-charge any device with Micro-USB port
Disconnect power to the device while remaining connected to USB power port
Supports Raspberry Pi development boards Micro-USB power cord requirements
Available in 8ft black cables

SKU: QP2218PWR-2.5M 2.5-Meter (8ft) Micro-USB Cable



SKU: ARUSB-2.5A 2.5Amp 5.1v

Works with Raspberry Pi Zero, Raspberry Pi 1 Model A+/B+, Raspberry Pi 2 B, Raspberry Pi 3, Arduino Uno, LattePanda, Arrow SmartEverything, Banana Pi, Bare Conductive Touch Board, RedBear Blend, Espruino, Flora, Gemma, Particle Electron/Photon, Snickerdoodle, and Trinket 3.3v & 5v.

Note: The added 0.1v on 5.1v power supply compensate for voltage drop due to cable resistance.

Sync & charge any device with Micro-USB

Available in 2.5Amp with built-in 4ft Micro-USB Cable

Tablets · Smart Phones · External Drives · Digital Cameras · GPS


Raspberry Pi 2/3 · Arduino Uno · LattePanda

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty.
For warranty & support, email: support@qvs.com. Product images shown for reference only.


Availability: QP2218PWR-2.5 Call


All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty.
For warranty & support, email: support@qvs.com. Product images shown for reference only.

 **1-800-622-9606**
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

 **1-800-344-3371**
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

 **Technical Support**
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

 **1-800-622-9606**
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

 **1-800-344-3371**
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

 **Technical Support**
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

DisplayPort™

Highest Performance & most versatile connection technology
High resolution capability & ability to support long video cables

DisplayPort™

Highest Performance & most versatile connection technology
High resolution capability & ability to support long video cables

Mini DisplayPort to DisplayPort

ThunderBolt & MS Surface Pro Tablet Compatible
SKU: MDPDP-3M (White)
MDPDP-xxBK (Black)

Connects any computer with DisplayPort to flat panel monitor with Mini DisplayPort port, or vice versa. Supports 3840x2160. Compatible with ThunderBolt port.

4K ULTRA HD
Available Lengths: 3 Meters (White)
1, 2 Meters (Black)

Mini DisplayPort

SKU: MDP-xx

Connects flat panel monitors to computers with Mini DisplayPort or ThunderBolt port. Supports 3840x2160.

4K ULTRA HD
Available Lengths: 1, 2, 4.5 Meters

DisplayPort to DVI Active/Eyefinity

SKU: DPDVI-AMF



Converts DisplayPort into DVI port.

DisplayPort to HDMI Active/Eyefinity

SKU: DPHD-AMF



Converts DisplayPort into HDMI port.

DisplayPort Gender Changer/Coupler

SKU: DP-FF



4K ULTRA HD
Converts DisplayPort cable or port with male connector into female. Can also connect two DisplayPort cables with male connectors.
NOTE: For 4K applications, this requires thicker cables that are at least 26AWG.

Mini DisplayPort to DVI

ThunderBolt & MS Surface Pro Tablet Compatible
SKU: MDPDVI Series

This conversion video cable eliminates the need for a separate Mini-DisplayPort to DVI converter.

Available Lengths: 3, 6, 10, 15 Feet

Mini DisplayPort to HDMI

ThunderBolt & MS Surface Pro Tablet Compatible
SKU: MDPH-xx (White)
MDPH-xxBK (Black)

This conversion video cable eliminates the need for a separate Mini-DisplayPort to HDMI converter.

Available Lengths: 3, 6, 10, 15 Feet (White)
3, 6, 10, 15 Feet (Black)

DisplayPort Digital A/V Cable with Latches

SKU: DPM-xx (Black)
DPM-15WH (White)

Connects flat panel monitors to computers with DisplayPort.

4K ULTRA HD
Available Lengths: 3, 6, 10, 15, 25, 50 Feet (Black)
15 Feet (White)

DisplayPort to DVI Cable with Latches

SKU: DPDVI Series

This conversion video cable eliminates the need for a separate DisplayPort to DVI converter.

Available Lengths: 3, 6, 10, 15 Feet

Mini DisplayPort to VGA

ThunderBolt & MS Surface Pro Tablet Compatible
SKU: MDPVGA Series

This conversion video cable eliminates the need for a separate Mini-DisplayPort to VGA converter.

Available Lengths: 3, 10, 15 Feet

Mini DisplayPort to HDMI

Active/ThunderBolt Compatible
SKU: MDPH-AMF

Converts Mini DisplayPort into HDMI port.



DisplayPort to HDMI Cable with Latches

SKU: DPHD Series

This conversion video cable eliminates the need for a separate DisplayPort to HDMI converter.

Available Lengths: 3, 6, 10, 15 Feet

DisplayPort to VGA Cable with Latches

SKU: DPVGA Series

This conversion video cable eliminates the need for a separate DisplayPort to VGA converter.

Available Lengths: 3, 6, 10, 15 Feet

Mini DisplayPort to DVI

ThunderBolt & MS Surface Pro Tablet Compatible
SKU: MDPD-MF



Converts Mini DisplayPort into DVI port. Supports 1080p & 1920x1200.

Mini DisplayPort to HDMI

ThunderBolt & MS Surface Pro Tablet Compatible
SKU: MDPH-MF



Converts Mini DisplayPort into HDMI port. Supports 1080p & 1920x1200.

Mini DisplayPort to VGA

ThunderBolt & MS Surface Pro Tablet Compatible
SKU: MDPV-MF



Converts Mini DisplayPort into VGA port. Supports 1920x1080.

DisplayPort to DVI

SKU: DPDVI-MF



Converts DisplayPort into DVI port. Supports 1920x1200.

DisplayPort to HDMI

SKU: DPHD-MF



Converts DisplayPort into HDMI port. Supports 1920x1200 & optional audio.

DisplayPort to VGA

SKU: DPVGA-MF



Converts DisplayPort into VGA port. Supports 1920x1200.

DisplayPort Extension

SKU: DPX-0.5F (6-inch)



Extends DisplayPort cable or port. Perfect for tight space install.

CAT5e / CAT6 / CAT7 Patch Cords

Support GigEthernet, IEEE 802.3af & 802.3at POE standard

DisplayPort 1.4 8K

Black Cable with Latches
SKU: DP8-xx

Connects any computer with DisplayPort to flat panel monitor with DisplayPort port, or vice versa. Supports resolution up to 8K UHD.

Available lengths: 3, 6, 10, 15 Feet

DisplayPort 2.0 16K

Black Cable with Latches
SKU: DP16-xx

Connects any computer with DisplayPort to flat panel monitor with DisplayPort port, or vice versa. Supports resolution up to UHD 16K.

Available lengths: 3, 6, 10 Feet

DisplayPort Digital A/V Color-Coded Cables

Color-coded cable is ideal for keeping track of multiple connections from multiple devices.

Available lengths: 6 & 10 Feet

DisplayPort Digital A/V

Black Cable with Latches
SKU: DPM-xx
DPM-xx-3PK (3-Pack)

Connects flat panel monitors to computers with DisplayPort.

Available lengths: 1, 2, 3, 6, 10, 15, 25 Feet

Mini DisplayPort to DisplayPort

ThunderBolt & MS Surface Pro Tablet Compatible
SKU: MDPDP-xxMBK

Connects any computer with DisplayPort to flat panel monitor with Mini DisplayPort port, or vice versa. Compatible ThunderBolt port.

Available lengths: 1 and 2 Meters

DisplayPort Angle Flex 6" Adapter

SKU: DPXTV-K1

For tighter and thinner HDTV installations, will ensure that the HDTV port is protected and HDMI cable goes in the direction you want it.

DisplayPort Extension

SKU: DPX-0.5F (6-inch)

Extends DisplayPort cable or port. Perfect for tight space install.

DisplayPort Gender Changer/Coupler

SKU: DP-FF

Converts DisplayPort cable or port with male connector into female. Can also connect two DisplayPort cables with male connectors.

NOTE: For 4K applications, this requires thicker cables that are at least 26AWG.

Gold-plated Connectors

Shielded Connectors

CAT7

CAT6 POE

CAT6 Slim

CAT5e/RJ45 Shielded

CAT7 S-STP 600MHz patch cord supports up to 10Gbps. CAT6 supports GigEthernet, IEEE 802.3af & 802.3at POE standard. CAT5e provides pigtail connection on RJ45 port & can also be used as Ethernet/LAN extension cable.

SKU: CC716-xx Series	CAT7 (1, 3, 7, 10, 15, 25, 50 & 100ft)	CC712MF-xx Series	CAT5e Shielded (1, 2, 3 & 7ft)
CC715N-xx Series	CAT6 (175, 200 & 250ft)	CC712XMF-0.5L	CAT5e Crossover (0.5ft)
CC715S-xx Series	CAT6 Slim (3, 7, 10 & 14ft)		

CAT5e/RJ45 Crossover

Support high speed applications

Computer · Router · Hub · Patch Panel · Wall Jack

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

HDMI to Composite Audio & Video Converter
HD source (Blu-ray) to older TV
SKU: HRCA-AS-R



Converts 720p or 1080p to 480i resolution

Composite Audio & Video to HDMI Converter
Older A/V device to HDTV
SKU: HRCA-AS



Upscales signal to 720p or 1080p

HDMI/DVI to VGA/RGB Audio & Video Converter
HD source (Blu-ray) to HDTV
SKU: HCV-VA



Supports video signals up to 1080p and up to 1920x1200

USB to 2.1 Stereo Audio Adaptor
PC to headset & microphone
SKU: USB-AUDIO3



Connects headset & microphone thru USB port

Coaxial to Toslink Digital Audio Converter
HD source (Blu-ray) to AV receiver
SKU: FCTK-RCA-R



Supports PCM, Dolby and DTS multi-channel audio
Does not convert ANALOG RCA stereo audio into S/PDIF Toslink.

Toslink to Coaxial Digital Audio Converter
HD source (Blu-ray) to AV receiver
SKU: FCTK-RCA



Supports PCM, Dolby and DTS multi-channel audio
Does not convert S/PDIF Toslink into ANALOG RCA stereo audio

HDMI to Toslink & RCA Audio Converter
HD source (Blu-ray) to older TV
SKU: HD-ADE



Converts HDMI audio to Toslink & RCA or 3.5mm stereo audio

HDMI 4K to Toslink & RCA Audio Converter
HD source (Blu-ray) to HDTV
SKU: HD-ADEK




Converts HDMI audio to Toslink & RCA or 3.5mm stereo audio

Component Audio & Video to HDMI Converter
DVD player to HDTV
SKU: HRGB-AD



Connects analog device to HDTV with HDMI

PC/VGA with Audio to HDMI Converter
Computer to HDTV
SKU: HVGA-AS



Supports HDTVs 1080p & PCs 1920x1080

HDMI to VGA Converter
HD source (Tablet) to HDTV
SKU: XHDV



Supports 1080p, 1920x1080 & extended desktop

HDMI to VGA Converter
HD source (Tablet) to HDTV
SKU: XHDV-A



Supports 1080p, 1920x1080 & extended desktop

Mini-HDMI to VGA Converter
HD source (Tablet) to HDTV
SKU: XHDVC-MF



Supports 1080p, 1920x1080 & extended desktop

Micro-HDMI to VGA Converter
HD source (Tablet) to HDTV
SKU: XHDVD-MF



Supports 1080p, 1920x1080 & extended desktop

Toslink to Stereo RCA Audio Converter
Toslink/Coax source to RCA R/L device
SKU: SPDIF-RCA



Converts Coaxial or Toslink digital audio to analog R/L audio

Stereo RCA to Toslink Audio Converter
RCA R/L source to Toslink/Coax device
SKU: RCA-SPDIF



Converts analog R/L audio to Coaxial and Toslink digital audio

HDMI to VGA AV Converter
HD source (Tablet) to HDTV
SKU: XHDV-AP



Powered through VGA or USB port
Supports 1080p, PC's 1440p & extended desktop

HDMI to VGA Video Converter Cable
HD source (Tablet) to HDTV
SKU: XHDV-06



Supports 1080p, PC's 1920x1080 & extended desktop

3G/HD/SD-SDI to HDMI SMPTE 1080p Converter Kit
Production A/V to Consumer HDMI Display
SKU: SDIHD



- Connect any SDI production video equipment or camera to any HDTV with HDMI
- Supports video resolutions up to 1080p
- Includes power adaptor

USB-C to 3.5mm/Power Audio Active Adapter with Power Charging
SKU: CC2237MFA



Pass-thru USB-C PD port supports 100-watts power charging

USB-C to 3.5mm Audio Active Adapter
SKU: CC2237MF



Supports HDTV's 1080p, PC's 1920x1080 & extended desktop




Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Pro Audio Cables

Converts any XLR device, 1/4 or 3.5mm port



Connects microphone or guitar to mixer, preamp, DI box or recorders. Features heavy duty XLR locking connector with flexible cable and built-in strain-relief. The male to female balance audio cable help reduce electrical noise or ground loop while the right-angle connector eliminates cable bend. The premium XLR and TRS used shielded heavy gauge flexible cables and gold plated connectors. Available in 6, 10, 15 & 25ft.

SKU: XLRSM-xx	XLR Male to 3.5mm Male Balanced Audio Cable (6 & 10ft only)	XLRSM-Yxx	3.5mm Male to Dual-XLR Male Cable (6 & 10ft only)
XLRSF-xx	XLR Female to 3.5mm Male Balanced Audio Cable (6 & 10ft only)	CC399TS-Yxx	3.5mm Male to Dual-1/4 Male Y-Cable (6 & 10ft only)
XLRMF-xx	XLR Male to Female Balanced Audio Cable	TSRA-xx	1/4 Male to Right-Angle Male Audio Cable (6, 10 & 15ft only)
XLRMFP-xx	Premium XLR Male to Female Balanced Shielded Audio Cable	TRSP-xx	Premium 1/4 Balance Shielded Male to Male Audio Cable
XLRT-Fxx	XLR Female to 1/4 Male Audio Cable	TRS-xx	1/4 Balance Male to Male Audio Cable
XLRT-Mxx	XLR Male to 1/4 Male Audio Cable	TS-xx	1/4 Male to Male Audio Cable

Audio Adaptors

Converts any XLR device, 1/4, RCA or 3.5mm port

<p>XLR to XLR</p> <p>XLR-MM Male to Male</p> <p>XLR-FF Female to Female</p>	<p>1/4 to 1/4</p> <p>TRS-FF Female to Female</p>
<p>XLR to 1/4</p> <p>XLRT-AMF Male to Female</p> <p>XLRT-AFF Female to Female</p>	<p>1/4 to XLR</p> <p>XLRT-BFM Male to Female</p> <p>XLRT-BMM Male to Male</p>
<p>XLR to 3.5mm</p> <p>XLR-S-FM Female to Male</p> <p>XLR-S-MF Male to Female</p>	<p>3.5mm to 1/4</p> <p>CC399PS-FM Female to Male</p> <p>CC399PS-MF Male to Female</p>
<p>XLR to RCA</p> <p>XLR-RCA-MM Male to Male</p>	<p>RCA to 1/4</p> <p>CC399PR-FM Female to Male</p> <p>RCA1P Female to Male</p>

Connect microphone or musical instrument

Connect microphone or musical instrument

Mixer • Preamp • DI Box/Recorder • Speaker

Mixer • Preamp • DI Box/Recorder • Speaker

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Audio Adaptor Cables

Converts any XLR device, 1/4 or 3.5mm port



SKU: XLRFM-Y	XLR Female to Dual-XLR Male Adaptor Cable	CC399PS-MFA	3.5mm Male RA to 1/4 Female Audio Stereo Adaptor
SKU: XLRSM-Y	3.5mm Female to Dual-XLR Male Y-Adaptor	CC399PS-MFY	1/4 Male to Dual-3.5mm TRS Female Adaptor Cable
SKU: XLRMIC-Y02	3.5mm Male to Dual-XLR Female Dual-Mic Audio Y-Cable	CC399PR-MFY	1/4 Male to Dual-RCA Female Adaptor Cable
SKU: CC399TS-YR	3.5mm Male to Dual-1/4 TS Female Y-Adaptor	CC399PR-FMY	1/4 Female to Dual-RCA Male Adaptor Cable
SKU: CC399TS-Y	3.5mm Female to Dual-1/4 TS Male Y-Adaptor	TSRAA-3PK	3-Pack 6-inch 1/4 to 1/4 Right-Angle TS Instrument Cables



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Stereo Audio Cables

Specifically Designed for Computer & Smartphone Audio Applications



These mini-stereo cables have slim connectors and support audio & mic applications. The 2.5m to 3.5mm audio conversion cable fits headphones including Bose QC35, JBL S700 and others with 2.5mm port. Available in 6 & 12ft.



Connect microphone or musical instrument

Connect, extend or convert audio devices

Mixer • Preamp • DI Box/Recorder • Speaker PC • Speaker • Smartphone • MP3 • Headphone • Tablet

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Multi-Packs Power Products

Power Products

Perfect for A/V, home or office devices

OUTLETSAVERS & POWER EXTENSIONS



Angled Plug Flat Design

Heavy-Duty Power Cord

Flat Power Cord

SKU: PA-3P

SKU: PS-06UH

SKU: PA-1P

SKU: PP-ADPT3



Protect electronic equipment from damaging voltage and current spikes. Flat and right-angle design on PC3RX eliminate bending of cord and allows for furniture to be closer to the wall. PA-1P is perfect for devices without built-in ON/OFF switch and allows for standby power.

SKU: PC3RX-xx	3-Outlet 3-Prong 10, 15 & 25ft Right-Angle Flat Power Extension Cord*	PP-ADPT3-xx	3-Angle Outlet 3-Prong 10 & 15ft Power Extension Cord
PC3PX-xx	3-Outlet 3-Prong 6, 10, 15 & 25ft Black Power Extension Cord*	PA-1P	Single-Port Power Adaptor with Lighted On/Off Switch*
PC3PX-xxWH	3-Outlet 3-Prong 10, 15 & 25ft White Power Extension Cord	PA-3P	3-Outlets Space-Saver Grounded Power Splitter

Connect and extend length of existing cable

Computers • Smartphone/Tablet Chargers • Home Theatre

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only. *Available in Multi-Packs

Single-Port Power Adaptor with On/Off Switch

- Fits any power outlet
- Turn power ON/OFF when not in use
- Perfect for devices without built-in power ON/OFF switch



PA-1P-2PK	037229231106	2-Pack
PA-1P-4PK	037229231113	4-Pack
PA-1P-6PK	037229231120	6-Pack
PA-1P-12PK	037229231137	12-Pack

3-Outlet Space-Saver Grounded Outlet Splitter

- Connect 3 device to single outlet
- 2-Outlets designed for bulk power adaptors



PA-3P-2PK	037229231144	2-Pack
PA-3P-4PK	037229231151	4-Pack
PA-3P-6PK	037229231168	6-Pack
PA-3P-12PK	037229231175	12-Pack

16-Inch 90 Degree Flat-Plug OutletSaver AC Power Adaptor

- Attach power adaptor to wall socket without blocking other outlets
- 16inch space accommodates over-size adaptor
- Angled designed eliminates bending cord
- Ideal for UPS & rack mount outlets



PPRT-ADPT-2PK	037229231359	2-Pack
PPRT-ADPT-4PK	037229231366	4-Pack
PPRT-ADPT-6PK	037229231373	6-Pack
PPRT-ADPT-12PK	037229231380	12-Pack

12-Inch 90 Degree Flat-Plug OutletSaver AC Power Splitter Adaptor

- Creates two power outlets per outlet
- Use with power strip or wall sockets without blocking other outlets
- 12inch space accommodates over-size adaptor
- Angled designed eliminates bending cord
- Ideal for UPS & rack mount outlets



PPRT-ADPT2-2PK	037229231397	2-Pack
PPRT-ADPT2-4PK	037229231403	4-Pack
PPRT-ADPT2-6PK	037229231410	6-Pack
PPRT-ADPT2-12PK	037229231427	12-Pack

10-Inch OutletSaver AC Power Adaptor

- 10inch space accommodates over-size adaptor
- Ideal for UPS & rack mount outlets



PP-ADPT-2PK	037229231229	2-Pack
PP-ADPT-4PK	037229231236	4-Pack
PP-ADPT-6PK	037229231243	6-Pack
PP-ADPT-12PK	037229231250	12-Pack

12-Inch OutletSaver AC Power Splitter Adaptor

- Creates two power outlets per outlet
- 12inch space accommodates over-size adaptor
- Ideal for UPS & rack mount outlets



PP-ADPT2-2PK	037229231267	2-Pack
PP-ADPT2-4PK	037229231274	4-Pack
PP-ADPT2-6PK	037229231281	6-Pack
PP-ADPT2-12PK	037229231298	12-Pack

12-Inch 3-Outlet AC Power Splitter Adaptor

- Connects 3 device in single outlet
- Provides 12inch extension



PP-ADPT3-2PK	037229231311	2-Pack
PP-ADPT3-4PK	037229231328	4-Pack
PP-ADPT3-6PK	037229231335	6-Pack
PP-ADPT3-12PK	037229231342	12-Pack

Surge Protector Wallmount PowerBar

- Accommodate over-sized power adaptors
- Built-in tabs for wall & rack mounting
- Lighted circuit breaker switch
- 3ft heavy duty power cord
- Available In: 9 & 12 Outlet



9-Outlet:		
PB9-03-2PK	037229231526	2-Pack
PB9-03-3PK	037229231533	3-Pack
PB9-03-8PK	037229231540	8-Pack

12-Outlet:		
PB12-03-2PK	037229231557	2-Pack
PB12-03-3PK	037229231564	3-Pack
PB12-03-6PK	037229231571	6-Pack

3-Outlet 3-Prong Power Extension Cord

- Connect A/V, home/office device
- Accessory loop for hanging/mounting
- Available Lengths: 10, 15 & 25ft

10 Feet:		
PC3PX-10-2PK	037229231434	2-Pack
PC3PX-10-3PK	037229231441	3-Pack
PC3PX-10-5PK	037229231458	5-Pack
15 Feet:		
PC3PX-15-2PK	037229231465	2-Pack
PC3PX-15-3PK	037229231472	3-Pack
PC3PX-15-5PK	037229231489	5-Pack
25 Feet:		
PC3PX-25-2PK	037229231496	2-Pack
PC3PX-25-3PK	037229231502	3-Pack
PC3PX-25-5PK	037229231519	5-Pack

3-Outlet 3-Prong Flat Right-Angle Power Extension Cord

- Connect A/V, home/office device
- Accessory loop for hanging/mounting, eliminates bending cord.
- Available Lengths: 10, 15 & 25ft

10 Feet:		
PC3RX-10-2PK	037229	2-Pack
PC3RX-10-3PK	037229231441	3-Pack
PC3RX-10-5PK	037229231458	5-Pack
15 Feet:		
PC3RX-15-2PK	037229231465	2-Pack
PC3RX-15-3PK	037229231472	3-Pack
PC3RX-15-5PK	037229231489	5-Pack
25 Feet:		
PC3RX-25-2PK	037229231496	2-Pack
PC3RX-25-3PK	037229231502	3-Pack
PC3RX-25-5PK	037229231519	5-Pack

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com




Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Deskmount Power / USB Charger / CAT6 Ports Deskmount Power & USB Charger

Adjustable Side-Table Mounting with Dual Clamps

Adjustable Side-Table Mounting with Dual Clamps



A convenient way to keep your devices fully charged at all times and provide power where it is needed. Connect your computers, peripherals and other office equipment. It has heavy duty 14AWG 10ft power cord with wall outlet space-saver right-angle power plug, and secure dual adjustable mounting that adjusts to fit desktops from 0.25" to 2" thick. The USB ports provide 3.5Amp combined. UL 962A, RoHS & REACH compliant.

A convenient way to keep your devices fully charged at all times and provide power where it is needed. Connect your computers, peripherals and other office equipment. It has heavy duty 14AWG 10ft power cord with wall outlet space-saver right-angle power plug, and secure dual adjustable mounting that adjust to fit desktop from 0.25" to 1.25" thick. The USB ports provide 2.1Amp combine. cETLus Meets UL962A, RoHS & REACH compliant.

AC power and USB charging accessibility to desktop Smartphones • Tablets • Laptops

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

All names, trademarks & logos are property of their respective owners. Limited One Year Warranty. For warranty & support, email: support@qvs.com. Product images shown for reference only.

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat

1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767

1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671

Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat



Call: 800-622-9606 (MI) / 800-344-3371 (NV) | eMail: sales@qvs.com | www.qvs.com

Active Video Converters

A more streamlined result across a full array of monitors

Converts HDMI to DisplayPort 4K
Supports 4K/30Hz



4K
ULTRA HD

SKU: HDDP-MF

Converts DVI to DisplayPort
Supports 1920x1200/60Hz



SKU: DVIDP-MF

Converts DVI to VGA
Supports 1920x1080/60Hz



SKU: DVIVGA-MF

Designed to simplify making the video connection you need, when you need it. HDMI/DVI to DisplayPort converters are powered thru USB port. DVI to VGA converter works without external power.



Converts HDMI / DVI to DisplayPort / VGA Computer • Projector • Tablet

All names, trademarks & logos are property of their respective owners. Limited Lifetime Warranty.
For warranty & support, email: support@qvs.com. Product images shown for reference only.



1-800-622-9606
30727 Beverly Road
Romulus, MI 48174
Phone: 734-641-6700
Fax: 734-641-6767



1-800-344-3371
2731 Crimson Canyon Drive
Las Vegas, NV 89128
Phone: 702-228-3670
Fax: 702-228-3671



Technical Support
702-228-3670
Mon-Fri / 8:00AM-5:00PM PST
Support@QVS.com
Technical Support Form
Live Chat